

U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT

IN THE CLAIMS:

Please add new claims 23-27, and amend claims 1, 9, 11, 16 and 18 as follows.

1. (currently amended) A hang tag for selective attachment to a product,

comprising:

an optical memory encoded with selected information relating to a product to which it
the hang tag is to be attached;

a protective enclosure dimensioned and means for selective attachment to a
product, said means for selective attachment comprising a pouch having dimensions to
receive said optical memory and a generally elongate member attached to said pouch and
attachable to the product, said pouch normally being sufficiently and selectively closed to
prevent movement of said optical memory out of said pouch independently of attachment to
the product ;

attachment means for selectively attaching said protective enclosure to a product;
and

access means cooperating with said protective enclosure for initially obstructing said
optical memory from being removed from said protective enclosure and for subsequently
permanently eliminating any obstruction to allow for free movement of said optical memory

U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT

from and into said protective enclosure after said access means is altered by a user to allow said optical memory to be initially withdrawn from said protective enclosure.

2. (canceled)

3. (currently amended) The hang tag according to claim ~~1~~ 23, wherein said elongate member comprises a cord adapted for positioning between the product and said pouch.

4. (canceled)

5. (canceled)

6. (previously presented) The hang tag according to claim 1, wherein the optical memory is an optical disk.

7. (previously presented)

8. (previously presented) A hang tag according to claim 1, wherein the optical memory is non-circular.

9. (currently amended) A method for labeling products so as to provide consumers with a ~~wealth of~~ selected information relating to the product, comprising:

producing a hang tag including an optical memory encoded with information relating to a product to which it is to be attached and ~~means for selective attachment to the product;~~
~~and attaching the hang tag to the product, said means for selective attachment comprising~~
~~a pouch having dimensions to receive said optical memory and a generally elongate~~
~~member attached to said pouch and attachable to the product, .~~

U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT

Inserting said optical memory within a protective enclosure dimensioned to received
and protectively enclose said optical memory;

said protective enclosure ~~pouch~~ normally being sufficiently and selectively closed to
prevent movement of said optical memory out of said ~~pouch~~ independently of attachment to
the ~~product~~ protective enclosure :

selectively attaching said protective enclosure to the product; and

initially obstructing with access means said optical memory from being removed from
said protective enclosure and subsequently permanently eliminating any obstruction to
allow for free movement of said optical memory from and into said protective enclosure
after said access means is altered by a user to allow said optical memory to be initially
withdrawn from said protective enclosure.

10. (canceled)

11. (currently amended) The method according to claim 9, wherein said protective
enclosure is secured to the product with an elongate member comprises in the form of a
cord adapted for positioning between the product and said ~~pouch~~.

12. (canceled)

13. (canceled)

14. (previously presented) The method according to claim 9, wherein the optical
memory is a CD-ROM.

U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT

15. (previously presented) The method according to claim 9, wherein the optical memory is non-circular.

16. (currently amended) A product including a hang tag attached thereto for providing consumers with selected information relating to the product, the hang tag comprising:

an optical memory encoded with information relating to a product to which ~~it~~ the hang tag is to be attached; and means for selective attachment to a product, said means for selective attachment comprising : ~~a pouch having dimensions to receive said optical memory and a generally elongate member attached to said pouch and attachable to the product, said pouch normally being sufficiently and selectively closed to prevent movement of said optical memory out of said pouch independently of attachment to the product~~ receive said optical memory and a generally elongate member attached to said pouch and attachable to the product, said pouch normally being sufficiently and selectively closed to prevent movement of said optical memory out of said pouch independently of attachment to the product :

a protective enclosure dimensioned to receive said optical memory;

access means cooperating with said protective enclosure and for initially obstructing said optical memory from being removed from said protective enclosure and subsequently permanently eliminating any obstruction to allow for free movement of said optical memory

U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT

from and into said protective enclosure after said access means is altered by a user to allow said optical memory is initially withdrawn from said protective enclosure.

17. (canceled)

18. (currently amended) The product according to claim ~~16~~24, wherein said elongate member comprises a cord adapted for positioning between the product and said pouch.

19. (canceled)

20. (canceled)

21. (previously presented) The product according to claim 16, wherein the optical memory is a CD-ROM.

22. (previously presented) The product according to claim 16, wherein the optical memory is non-circular.

23. (New) The hangtag according to claim 1, wherein said attachment means comprises an elongate member attached to said pouch and attachable to the product.

24. (New) A product according to claim 16, wherein said attachment means comprises an elongate member attached to said pouch and attachable to the product.

25. The hangtag according to claim 1, wherein said protective enclosure comprises two juxtaposed flat panels attached about their peripheral edges.

26. The hangtag according to claim 1, wherein said access means comprises a

**U.S. Patent Application of Siegel et al. - 09/659,525 - Art Unit: 3611
SUPPLEMENTAL AMENDMENT**

sealed edge of said juxtaposed panels that is severable by a user to expose an opening for removing said optical memory.

27. The hangtag according to claim 1, wherein said access means comprises said attachments means secured to said protective enclosure at a location to initially block removal of said optical memory.

28. (New) The hangtag according to claim 1, wherein the information encoded on said optical memory includes information relating to the product to which the hangtag is to be attached.

29. (New) The method according to claim 1, wherein the information encoded on said optical memory includes information relating to the product to which the hangtag is to be attached.

30. (New) The product according to claim 1, wherein the information encoded on said optical memory includes information relating to the product to which the hangtag is to be attached.